210-WC-4.8

Fluxómetro para W. C. de Manija

Toilet Flushometer Handle



PORTAFOLIO VERDE CSI. 22 42 43





Medidas Referenciales / *Estimated Dimensions,* **Acot.mm [pulg.]** */ Dim.mm [in]*

CARACTERÍSTICAS DEL PRODUCTO

Fluxómetro para W. C. de manija con recubrimiento antibacterial y entrada superior para spud de 32 y 38 mm con 4,8 l por descarga.

MATERIAL:
Latón

ACCESORIOS:
Palanca con recubrimiento antibacterial
Incluye adaptador para llave de retención

INSTALACIÓN:
Conexión de alimentación: tubo Ø25,4mm
Conexión de descarga: Spud 1 ¼ - 11,5 NPSM

PRESIÓN DE TRABAJO
Pmin. = 1,0 kg/cm²
Pmax.= 6,0 kg/cm²

GASTO:
4,8 l por accionamiento

NOTA:
La tubería de alimentación debe tener un Ø 32mm mínimo y debe conectarse una reducción de campana de 32mm - 25mm a la llave de retención.

CUMPLE CON LA NORMA:
NOM-005-CONAGUA-1996

GARANTÍA:
El producto HELVEX está garantizado como libre de defectos en materiales y procesos de fabricación.

El producto HELVEX está garantizado, en lo que se refiere a los acabados; por un periodo de 10 años en los acabados cromo y duravex, y por 2 años en cabados diferentes al cromo, a partir de la fecha de compra indicada en la factura.

PRODUCT FEATURES

Toilet Flushometer Handle with antibacterial coating and top entry for spud 1¼" and 1½" with 1,26 gallons per flush.

MATERIALS:
Brass

ACCESSORIES:
Lever with antibacterial coating
Includes stop valve adapter

INSTALLATION:
Supply connection: Ø 1" tube
Discharge connection: 1 ¼ - 11,5 NPSM Spud

WORKING PRESSURE.
Pmin. = 14,22 psi
Pmax.= 85,34 psi

WATER CONSUMPTION:
1,26 gpf

NOTE:
The feeding pipe should have a minimum Ø1 ¼" and must be connected a reducer of 1 ¼" to 1" to stop valve.

COMPLIANCE:
NOM-005-CONAGUA-1996

WARRANTY:
HELVEX product is warranted to be free from defects in materials and manufacturing processes.

HELVEX product is warranted in regards to finished for period of 10 years in the finishes chrome and duravex and for 2 years in different finishes chrome from the date of purchase indicated on the invoice.

Los productos ilustrados pueden sufrir cambios sin previo aviso en su aspecto o partes, como resultado de los procesos de mejora continua al que están sujetos, sin implicar mayor responsabilidad de la fábrica.

Products depicted here in subject to change without prior notice in their appearance or components as a result of incremental innovation.

HECHO EN MÉXICO

EMPRESA SOCIALMENTE RESPONSABLE

Cuidando el Agua HELVEX Producto Ahorrador

Asesoría y Servicio Técnico: 01800 909 2020
Consultancy and Technical Service: 01(55)53339431
servicio.tecnico@helvex.com.mx

Refacciones Originales: 01 800 890 0594
Original Parts: 01 (55) 53 33 94 00
53 33 94 21
refacciones@helvex.com.mx Ext. 5068, 5815 y 5913

NC

HELVEX M.R.
garantía de calidad

210-WC-4.8

Fluxómetro para W. C. de Manija
Toilet Flushometer Handle

Kit de refacciones para mantenimiento preventivo. */ Kit of parts for preventive maintenance.*



Sf-621
Cúpula Fluxómetro Nuva c/Empaques
Nuva Flushometer Dome with Gaskets

Sf-741
Émbolo Fluxómetro 4,8 LPF
1,26 GPF Flushometer Piston

Rf-614
Chapetón Lave de Retención
Stop Valve Escutcheon

Rf-075
Rondana Vulcanizada
Vulcanized Washer

Sf-628
Manija Armada para Fluxómetro Nuva
Nuva Armed Handle Flushometer

Rf-636
Adaptador Budnik
Budnik Adapter

Rf-036
Anillo de Presión
Pressure Ring

Rf-035
O´ring 2-123

Rf-547
Tubo Camisa Flux de 5"
5" Flush Shirt Tube

Sf-571
Valvula de Retención Armada Palanca
Navy Retention Valve Lever

Sf-058
Kit de Rondanas Spud de 32mm
Spud Kit 32mm Washers

Rf-584
Tuerca Base 32 mm Fluxómetro Nuva
1 ¼" Nuva Flushometer Based Nut

Sf-796
Tuerca y Rondanas Spud 32mm
32mm Spud Nut and Washers

Rf-047-C
Tubo de Descarga 32 mm
1 ¼" Discharge Pipe

Rf-063
Tuerca F-2 de 32 mm
1¼" F-2 Nut

Rf-802
Tuerca Adaptación 32 mm
1 ¼" Adaptation Nut

Sf-665
Kit Tuerca Adaptación 32mm
Adaptation Nut Kit 32mm

Sf-058
Kit Rondanas Spud de 32mm
Spud Kit 32mm Washers

Rf-278
Chapetón Spud 38 mm
1 ½" Spud Escutcheon

Asesoría y Servicio Técnico: 01800 909 2020
Consultancy and Technical Service: 01(55)53339431
servicio.tecnico@helvex.com.mx



Refacciones Originales: 01 800 890 0594
Original Parts: 01 (55) 53 33 94 00
53 33 94 21
refacciones@helvex.com.mx Ext. 5068, 5815 y 5913

Fluxómetros Mecánicos para W. C. de Manija / Mechanical Flushometers Handle for W. C.

Nota: Para adquirir las refacciones, visite nuestra página de internet www.helvex.com.mx
Note: To purchase the parts online visit our website www.helvex.com.mx

NB

HELVEX M.R.
garantía de calidad

210-WC-4,8

Fluxómetro para W. C. de Manija
W. C. Flushometer Handle

Kit de Refacciones para Mantenimiento Preventivo
/ Kit of Parts for Preventive Maintenance



Sf-571
Llave de Retención Armada Nuva 1"
1" Nuva Assembled Stop Valve



Sf-741
Émbolo Regulable 4,8 LPF
1,26 GPF Flushometer Piston



Sf-015-C
Mec. Cierre Llave de Retención
Automatic Closing Mechanism



Sf-058
Kit Refacción Rondanas Spud 32
Setting Kit 1 ¼" Washers Spud



Sf-628
Manija Armada para Flux. Nuva
Navy Handle Fluxometer Nuva



Sf-110
Estoper Armado Flux. c/Cuerda
Flushometer Stuffing Box Armed
with Thread



Sf-056
Kit Refacción Manija y Pedal
Handle and Pedal Setting Kit



Sf-055
Kit Ref. Llave de Retención
Stop Valve Kit



Sf-795
Kit de Empaques Émbolo
Gasket Piston Kit



Sf-796
Tuerca y Rondanas
Spud 32mm
32mm Spud Nut and Washers



Sf-665
Kit Tuerca
Adaptación 32mm
Adaptation Nut Kit 32mm



Sf-621
Cúpula Ciega Fluxómetro Nuva
Nuva Dome Blind Flushometer